

Technical Policies and Specifications

Recent additions to this section include:

- New sites may not be developed in Drupal, and all new CMS development plans must be reviewed by PBS.
- Sites must still function properly if their IP address and domain name change.
- Sites hosted on Amazon must be repeatable.

Questions?

- [Browse our FAQs](#)
- [Submit a question](#)
- [Visit the Producer Facebook page](#)

Compatible Web Server Software and Architecture

Producers are required to develop sites and databases that are compatible with PBS's existing Web server software and architecture. Specifications for sites and databases developed on PBS's dedicated Amazon servers is available at <http://docs.pbs.org/x/fYCr>, and specifications for sites and databases developed on PBS's internal servers is at <http://docs.pbs.org/x/fQHB>.

Support for Amazon EC2 Dedicated Hosting

In an effort to provide PBS producers greater flexibility to innovate as well as greater freedom to tackle emerging issues, PBS is providing selected producers with small high-performance dedicated servers. These dedicated servers provide content producers with greater technological freedom to innovate and experiment with new technologies. They also introduce isolation between producer sites, dramatically reducing the impact of adverse events.

With this additional freedom and flexibility the producer now has nearly complete control over their environment and the means to address all issues. This server is for the exclusive use of the producer to which it has been assigned. See PBS's Product Documentation space for detailed [documentation on Amazon EC2 Dedicated hosts](#).

Technical support for Dedicated Hosts is limited to the following:

- Operational environment. PBS provides an operational computing environment to 3rd party developers and producers for PBS sponsored websites and applications. This operational computing environment is based on the LAMP (linux + apache + mysql + php/python/perl) technology stack. PBS provides Level 1 technical support necessary to insure that the services are "available" for use and as designed. See [documentation](#).
- PBS-sanctioned widgets, modules and applications. PBS has developed a suite of applications, widgets, modules, and scripts that may (and in some cases must) be used by 3rd party developers. PBS provides Level 1 technical support regarding the use of these components.
- PBS network services. PBS provides network access (e.g. FPT, SFTP, and/or SSH) to development, staging, or production computing resources where 3rd party applications may reside.

PBS does not, however, provide technical support for issues regarding the use, development, application, tuning, or customization of development and scripting languages, application frameworks, or applications developed by 3rd parties and/or the open source community. PBS relies upon its 3rd party developers to be self-sufficient in these areas.

Content Management Systems

All Content Management System plans must be reviewed and approved by your Program Manager at the start of your project. Drupal is not allowed due to repeated performance issues with high-traffic sites.

IP Address

Sites may not assume that their IP addresses will not change. That is, if the IP address changes, the site must still function properly.

Domain Name

Sites should not assume that their domain names are fixed. That is, if the domain name needs to change, the site should still function.

Repeatable Amazon-hosted sites

Site should be “repeatable” on Amazon. That is, PBS should be able to back up the producers application directory and database, create a new machine, and the site should come up without any human intervention. All customizations must be automated using the boot.sh file which is run once upon server provisioning.

Content Distribution Network (CDN)

All 3rd party developers and producers are expected to utilize the PBS Content Delivery Network which is currently hosted by Limelight.

Full use of the CDN is a launch requirement for the following media types:

- All media files, including but not limited to Flash, video, GIF, JPEG, etc.
 - All javascript files greater than 10k (except those which are hosted by 3rd parties such as Google or Yahoo).
 - All CSS files greater than 10k.
- More information is available at: <http://docs.pbs.org/x/F4HT>.

Memcached

All database intensive sites must implement object based and/or page level server side caching as necessary in order to maintain high performance.

- Use of memcached is required for all “dynamic” pages that rely upon an internal database or 3rd party services for real time data.
- PBS requires the use of memcached for all server-side object and page level caching.
- Implementation instructions can be found at <http://docs.pbs.org/x/IQDu>.

Performance and Load Testing

In order to maintain the highest level of user experience, PBS requires that all applications and sites developed by 3rd party developers on PBS’s Amazon hosting services undergo (and pass) performance and load testing.

Performing this testing is the sole responsibility of the 3rd party producer or developer. The purpose of this load testing is to demonstrate that the application has been engineered to handle the high levels of traffic that the site may see at launch.

- Using the **small** Amazon instance (LAMP stack) that has been provided by PBS, sites and applications must demonstrate that they are capable of achieving 50 requests per second from 10 simulated users. All performance testing must be performed with the copy of ApacheBench that is included on the instance provided.
- Upon completion of load testing, producers will be required to submit a copy of the load testing results to PBS for review.
- The maximum allowable latency for the loading of any single page is 5 seconds.

Documentation on how to perform load testing may be found at <http://docs.pbs.org/x/UYPj>

HTML Specifications

In order to reach the most users, sites should be developed using HTML specification 4.0 and cascading style sheet specification CSS1. Other HTML specifications may be used as long as the principals of Progressive Enhancement/Graceful Degradation are applied so that there is always a compelling and usable experience available for the site user. Compliance with The World Wide Web Consortium (W3C) guidelines and recommendations is required. HTML standards must be compliant for the doc-type it is declaring. If it is not, PBS reserves the right to not publish or to limit the site audience.

Supported Web Browsers

Sites must be developed to support PBS-approved Web browsers across platforms. Although it is not assumed that all users will have the identical experiences when using different browsers, it is vital that every user be able to experience the same content and as much visual richness and interactivity as possible.

PBS currently supports the following desktop browsers:

Chrome **, Internet Explorer 9+, Firefox **, Safari **, Opera **

** Latest, or most widely used version <http://gs.statcounter.com/>

Mobile devices running: Apple iOS, Android 2.3, & Android 4 **

Google Analytics Tagging

PBS uses Google Analytics as a preferred method of generating detailed statistics about visits to PBS.org Web sites. It is the producer's responsibility to request a Google Analytics account from their content manager during site production; metrics will be unavailable to the producer otherwise. To function properly, every page of a Web site on PBS.org must include the Google Analytics Tracking Code (GATC) through a Server Side Include. For more information and implementation techniques, visit [<http://docs.pbs.org/x/MICr>]

PBS Code Widgets

Standard interactive features must be created using tried-and-true code available in the PBS code widget library. If a relevant code widget exists, PBS code must be used. The PBS Product Documentation area (<http://docs.pbs.org/x/sYCy>) lists the current products and applications for you to use.

Registration and Authentication

Any project wishing to provide registration or authentication services to its viewers must utilize the PBS Universal Authentication Service. Further information can be found at: <http://docs.pbs.org/x/dQHB>.

Additionally, by utilizing UUA you agree to abide by the [UUA RP Agreement](#). Further information about PBS Interactive's data retention policy can be found in the [UUA FAQ](#).

Blog Publishing Platforms

PBS supports blogs developed with MovableType 4.3.4 publishing platform with Pro Pack, Perl version 5.6.1 as well as legacy versions 4.1 and 3.2.

- If a project requires extensive customization, 3rd party producers may elect to install their own instance of Movable Type in their operational environment, or they may elect to select another blogging platform.
- Installation, customization, debugging, and support of any such blogging platform is the exclusive responsibility of the 3rd party developer.
- It is the developers responsibility to select a blogging platform that meets their product requirements as well as that will run using the technology stack and operational environment provided by PBS.

Plug-in Introductory Text

When a plug-in is required to view site content, the teaser must be accompanied by introduction text that:

- Explains what the feature is
- Lists the file size of the feature
- Provides a link to the plug-in download page.

Cookies

Use of any cookies is subject to the oversight of the PBS technical staff and cookies that extend beyond a user session must be developed in partnership with PBS technical staff.

As a rule, always scope your cookies with the most specific path component you can. This will reduce the overhead of the number of cookies that need to be sent by the client on each browser request. Where possible, cookies must be set in JavaScript instead of CGI script. Always prefix your cookies with a unique tag (such as programname.nameofcookie) that can identify your application in order help to avoid conflict on the server.

Airdate Code on PBS.org

When providing broadcast information, you must use PBS's airdates code. PBS's airdates code is a simple server-side include which can be customized by CSS. It automatically displays the correct broadcast dates and times for local stations, using data provided by TV Guide and cross-referenced with the episode titles and descriptions the producer provides to PBS Traffic and Operations.

For more information, read the detailed implementation steps on the PBS Product Documentation site at <http://docs.pbs.org/x/OICr>.